


NOVA FLOOR®

PORTFOLIO





Explore the possibilities...

No other brand of luxury vinyl flooring gives you so much and in so many ways as NovaFloor® by Novalis® Innovative Flooring.

Responsibly made...

All NovaFloor® products are made with the highest quality standards for the environment, inside and out.



maybree®

Maybree® is the ultimate rigid core LVT flooring for your home. With Maybree®, you'll have it all in terms of styling, construction and performance. Our rigid core, HDC (High Density Core) floating floor planks, with our NovaClic® locking system, is made extra thick (6mm) and is waterproof as well as dent resistant. We've even added an attached foam underlayment for sound barrier and comfort. And with NovaShield®, your new Maybree® floor will have the best protection possible.

MAYBREE®

HDC NOVACLIC® 7.75"x71.45" PLANKS



Barrel Oak, Henley (V4)

NSP462-HDC



Barrel Oak, Hayes (V4)

NSP463-HDC



Barrel Oak, Knox (V4)

NSP464-HDC





Barrel Oak, Presley (V4)

NSP465-HDC



BARREL OAK, HENLEY



MAYBREE®

HDC NOVACLIC® 5" X 59.75" PLANKS



Castle Oak, Dover (V4)

NSP450-HDC



Castle Oak, Dudley (V4)

NSP451-HDC



Wormy Chestnut, Melbourne (V4)

NSP452-HDC



Wormy Chestnut, Sydney (V4)

NSP453-HDC

MAYBREE®

HDC NOVACLIC® 7.75" X 59.75" PLANKS



Sessile Oak, Bergen (V4)

NSP454-HDC



Sessile Oak, Dublin (V4)

NSP455-HDC






Sessile Oak, Reine (V4)

NSP456-HDC



Sessile Oak, Naples (V4)

NSP457-HDC



WASHED CONCRETE. AXEL

MAYBREE®

HDC NOVACLIC® 15.75" X 31.75" TILES



Lunar Marble, Wells (V4)

NST480-HDC



Lunar Marble, Harlow (V4)

NST481-HDC



Lunar Marble, Willa (V4)

NST482-HDC



Lunar Marble, Hutton (V4)

NST483-HDC



Washed Concrete, Axel (V4)

NST484-HDC



Washed Concrete, Gage (V4)

NST485-HDC





dansbee™

Create an escape within your own home with Dansbee™. With its refreshing blonde tones, clean visuals, and generous proportions, Dansbee's™ naturally beautiful flooring emulates chic, effortless style inspired by Southern California living. Dansbee™ is waterproof and available in a rigid core HDC floating floor with our NovaClic® locking system and attached foam underlayment. Designed to accentuate the organic elements of home, Dansbee's™ clean aesthetic is sure to lighten your space and your mood, while adding warmth to all the places you love.

DANSBEE™

HDC NOVACLIC® 7" X 47.75" PLANKS



French Oak, Pearl (V2)

NDP001-HDC



French Oak, Fawn (V3)

NDP002-HDC



French Oak, Almond (V3)

NDP003-HDC




French Oak, Pebble (V3)

NDP004-HDC



FRENCH OAK, PEARL



DANSBEE™

HDC NOVACLIC® 7" X 47.75" PLANKS



White Ash, Summit (V2)

NDP005-HDC



White Ash, Sand Dune (V3)

NDP006-HDC



White Ash, Cliffside (V3)

NDP007-HDC



Contemporary Maple, Laguna (V3)

NDP011-HDC

DANSBEE™

HDC NOVACLIC® 7" X 47.75" PLANKS



Brushed Oak, Canyon (V4)

NDP008-HDC



Brushed Oak, Glacier (V3)

NDP009-HDC



Brushed Oak, Prairie (V3)

NDP010-HDC



Contemporary Maple, Malibu (V3)

NDP012-HDC



serenbe®

With Serenbe® flooring, the choice is always yours with any style, color, size or installation. Serenbe® is available in either a rigid core HDC floating floor with our NovaClic® locking system and attached foam underlayment or a flexible glue down construction. Serenbe® is waterproof as well as dent resistant, and comes equipped with the industry's best protection against scratches and abrasions with our NovaShield® coating.

SERENBE®

HDC NOVACLIC® 7" X 47.75" PLANKS
FLEXIBLE GLUE DOWN (FGD) 7" X 48" PLANKS



Urban Oak, Grange (V3)

FGD: NSP406
HDC: NSP406-HDC



Urban Oak, Flynn (V3)

FGD: NSP407
HDC: NSP407-HDC



Urban Oak, Porter (V3)

FGD: NSP408
HDC: NSP408-HDC




Urban Oak, Swann (V3)

FGD: NSP414
HDC: NSP414-HDC



COTTAGE PINE, CHAR



SERENBE®

HDC NOVACLIC® 7" X 47.75" PLANKS
FLEXIBLE GLUE DOWN (FGD) 7" X 48" PLANKS



Canadian Walnut, Trinity (V3)

FGD: NSP401
HDC: NSP401-HDC



Canadian Walnut, Digby (V3)

FGD: NSP402
HDC: NSP402-HDC



English Walnut, Stratford (V4)

FGD: NSP403
HDC: NSP403-HDC



English Walnut, Oxford (V4)

FGD: NSP413
HDC: NSP413-HDC

SERENBE®

HDC NOVACLIC® 7" X 47.75" PLANKS
FLEXIBLE GLUE DOWN (FGD) 7" X 48" PLANKS



Cottage Pine, Blanch (V4)

FGD: NSP409
HDC: NSP409-HDC



Cottage Pine, Husk (V4)

FGD: NSP410
HDC: NSP410-HDC



Cottage Pine, Clay (V4)

FGD: NSP411
HDC: NSP411-HDC



Cottage Pine, Char (V4)

FGD: NSP412
HDC: NSP412-HDC



CARRARA MARBLE, PURE

SERENBE®

HDC NOVACLIC® 11.75" X 23.75" TILES
FLEXIBLE GLUE DOWN (FGD) 12" X 24" TILES



Carrara Marble, Pure (V2)

FGD: NST430
HDC: NST430-HDC



Carrara Marble, Simple (V2)

FGD: NST431
HDC: NST431-HDC



Stenciled Concrete, Linen (V3)

FGD: NST433
HDC: NST433-HDC



Stenciled Concrete, Bordeaux (V3)

FGD: NST435
HDC: NST435-HDC





Natural Slate, Rainstorm (V2)

FGD: NST436
HDC: NST436-HDC



Natural Slate, Shadow (V2)

FGD: NST437
HDC: NST437-HDC



SERENBE®

HDC NOVACLIC® 11.75" X 23.75" TILES
FLEXIBLE GLUE DOWN (FGD) 12" X 24" TILES



Tumbled Stone, Seafoam (V4)

FGD: NST438
HDC: NST438-HDC



Tumbled Stone, Oyster (V4)

FGD: NST439
HDC: NST439-HDC

HDC NOVACLIC® 11.75" X 35.75" TILES
FLEXIBLE GLUE DOWN (FGD) 12" X 36" TILES



Calacatta Marble, Copper (V3)

FGD: NST440
HDC: NST440-HDC



Calacatta Marble, Nickel (V3)

FGD: NST441
HDC: NST441-HDC





Crackled Wood, Billow (V4)

FGD: NST442
HDC: NST442-HDC




Crackled Wood, Gravel (V4)

FGD: NST443
HDC: NST443-HDC



Lyndon® Plus

Lyndon® Plus is available in an easy-to-install floating floor with NovaClic® locking system with our rigid HDC (High Density Core) or as a flexible glue down installation. We've even added an attached foam underlayment for sound barrier and comfort. Lyndon® Plus with HDC Technology is waterproof, resists denting, and hides most common subfloor imperfections.



LYNDON[®] PLUS

HDC NOVACLIC[®] 5.75" X 47.75" PLANKS
FLEXIBLE GLUE DOWN (FGD) 6" X 48" PLANKS



MOUNTAIN SANDSTONE, ALBANY



Provincial Oak, Williamsburg (V3)

FGD: NLP101
HDC: NLP501-HDC



Provincial Oak, Charleston (V2)

FGD: NLP102
HDC: NLP502-HDC



Provincial Oak, Boston (V3)

FGD: NLP103
HDC: NLP503-HDC



Provincial Oak, Richmond (V3)

FGD: NLP104
HDC: NLP504-HDC

LYNDON® PLUS

HDC NOVACLIC® 5.75" X 47.75" PLANKS
FLEXIBLE GLUE DOWN (FGD) 6" X 48" PLANKS



Classical Oak, Cambridge (V2)

FGD: NLP105
HDC: NLP505-HDC



Classical Oak, Rushmore (V2)

FGD: NLP106
HDC: NLP506-HDC



Classical Oak, Durham (V3)

FGD: NLP107
HDC: NLP507-HDC



Classical Oak, Hampton (V3)

FGD: NLP108
HDC: NLP508-HDC

LYNDON® PLUS

HDC NOVACLIC® 5.75" X 47.75" PLANKS
FLEXIBLE GLUE DOWN (FGD) 6" X 48" PLANKS



Apple, Caramel (V3)

FGD: NLP109
HDC: NLP509-HDC



Apple, Fuji (V3)

FGD: NLP110
HDC: NLP510-HDC

HDC NOVACLIC® 12" X 24" TILES
FLEXIBLE GLUE DOWN (FGD) 11.75" X 23.75" TILES



Mountain Sandstone, Albany (V3)

FGD: NLT120
HDC: NLT120-HDC



Mountain Sandstone, Quincy (V3)

FGD: NLT121
HDC: NLT121-HDC



Valley Riverstone, Athens (V3)

FGD: NLT122
HDC: NLT122-HDC



Valley Riverstone, Lexington (V3)

FGD: NLT123
HDC: NLT123-HDC



MAYBREE®
Barrel Oak, Henley

maybree.

SPECIFICATIONS	HDC NOVACLIC® FD (FOLD DOWN)
Overall Thickness	6.0mm w/ Foam Underlayment
Wear Layer Thickness	0.5mm (20 mil)
Tile Size	15.75" x 31.75"
Plank Size	5" x 59.75"
Plank Size	7.75" x 59.75"
Plank Size	7.75" x 71.45"
Tile Packaging	6 pcs (20.84 sq. ft.)
Plank Packaging	6 pcs. (12.45 sq. ft.)
Plank Packaging	6 pcs. (19.29 sq. ft.)
Plank Packaging	4 pcs (15.38 sq. ft.)



SERENBE®
Carrara Marble, Pure

serenbe.

SPECIFICATIONS	FLEXIBLE GLUE DOWN (FGD)	HDC NOVACLIC® FD (FOLD DOWN)
Overall Thickness	2.5mm	5.5mm w/ Foam Underlayment
Wear Layer Thickness	0.3mm (12 mil)	0.3mm (12 mil)
Tile Size	12" x 24"	11.75" x 23.75"
Tile Size	12" x 36"	11.75" x 35.75"
Plank Size	7" x 48"	7" x 47.75"
Tile Packaging	18 pcs. (36 sq. ft.)	12 pcs. (23.26 sq. ft.)
Tile Packaging	12 pcs. (36 sq. ft.)	8 pcs. (23.34 sq. ft.)
Plank Packaging	16 pcs. (37.33 sq. ft.)	8 pcs. (18.57 sq. ft.)



DANSBEE™
French Oak, Almond

dansbee™


SPECIFICATIONS	HDC NOVACLIC® FD (FOLD DOWN)
Overall Thickness	5.2mm w/ foam underlayment
Wear Layer Thickness	0.5mm (20 mil)
Plank Size	7" x 47.75"
Plank Packaging	10 pcs. (23.21 sq. ft.)




LYNDON® PLUS
Classical Oak, Rushmore

Lyndon® Plus

SPECIFICATIONS	FLEXIBLE GLUE DOWN (FGD)	HDC NOVACLIC® FOLD DOWN (FD)
Overall Thickness	2.0mm	5.0mm w/ foam underlayment
Wear Layer Thickness	0.15mm (6mil)	0.3mm (12mil)
Tile Size	12" x 24"	11.75" x 23.75"
Plank Size	6" x 48"	5.75" x 47.75"
Tile Packaging	24 pcs. (48 sq. ft.)	10 pcs (19.38 sq.ft)
Plank Packaging	20 pcs. (40 sq. ft.)	12 pcs (22.88 sq. ft.)







Slim Trim
3-in-1 Molding
Hardware Included



End Cap
PVC
Hardware Included



VersaEdge Stair Nose
PVC Stair Nose



VersaEdge Stair Nose
Aluminum Stair Nose



Quarter Round



VersaCap Square*
*Not available with every collection




VersaCap Round*
*Not available with every collection


NOVAFLOOR® COORDINATED MOLDINGS

Nothing creates that finished, custom appearance better than coordinated moldings for your new NovaFloor® installation. To order, ask your NovaFloor® retailer for details. For advice on how to properly install moldings, go to installationadvice.com.


V1 has the least amount of variance. V4 has the most variance from tile to tile or plank to plank.



V1



V2



V3



V4

NOVAFLOOR® APPEARANCE VARIABILITY RATING SYSTEM

Your satisfaction is always our top concern. So we don't want you to be surprised between the sample you see in the showroom and what you'll see across your finished floor. That's why we created the "Appearance Variability Rating System" on all our products in the form of a "V number" to help you know what to expect in the finished appearance of your new flooring.

Also, use our online visualizer at www.novafloor.us for additional visuals.



NovaShield is a UV-cured polyurethane coating that elevates scratch and scuff resistance, and improves performance for staining and wear to unmatched levels.



At NovaFloor®, sustainability is about keeping:

People healthy

- All our floors are FloorScore® certified for low VOC
- We are transparent about what we put into our products
- Our products are 100% phthalate-free

The earth habitable

- 100% of production waste is recycled in a closed loop system.
- We use the cleanest fossil fuel energy available in the world today.
- 100% of production water is recycled

ALWAYS TO THE HIGHEST STANDARDS



RECOMMENDED USE

HEALTHCARE

	Lyndon® Plus HDC Novaclic® 5.0mm (12mil) with pad	Lyndon® Plus Glue Down 2.0mm (6mil)	Dansbee™ HDC Novaclic® 5.2mm (12mil) with pad	Serenbe® Glue Down 2.5mm (12mil)	Serenbe® HDC Novaclic® 5.5mm (12mil) with pad	Maybree® HDC Novaclic® 6.0mm (20 mil) with pad	NovaFloor® Designer Series Loose Lay 5.0mm (20mil)	NovaFloor® Designer Series Glue Down 2.5mm (20mil)	NovaFloor® Designer Series Rigid Core 5.2mm (20mil)	NovaFloor® Designer Series Rigid Core 6.0mm (20mil)
Operating Theatres	×	✓	×	✓	×	×	✓	✓	×	×
Intensive Care Units	×	×	×	×	×	×	×	×	×	×
Waiting Rooms	×	×	×	×	×	✓	✓	✓	×	✓
Patient Rooms	×	×	×	×	×	×	✓	✓	×	×
Corridors	×	×	×	×	×	×	✓	✓	×	×
Outpatient Departments	×	×	×	×	×	✓	✓	✓	×	✓
X-Ray Rooms and Computer Tomography	×	×	×	×	×	×	✓	✓	×	×
Laboratories	×	×	×	×	×	×	✓	✓	×	×
Administration	×	×	×	×	×	✓	✓	✓	×	✓
Elevators	×	×	×	×	×	×	✓	✓	×	×
Restrooms	×	×	×	×	×	×	✓	✓	×	×
Physical Therapy	×	×	×	×	×	✓	✓	✓	×	✓
Senior Living Rooms	×	×	✓	×	✓	✓	✓	✓	✓	✓
Senior Living Corridors	×	×	×	×	×	×	✓	✓	×	×
Senior Living Multipurpose Rooms	×	×	×	×	×	✓	✓	✓	×	✓
Senior Living Dining Areas	×	×	×	×	×	×	✓	✓	×	×
Senior Living Therapy & Workout Rooms	×	×	×	×	×	✓	✓	✓	×	✓
Mental Institutions	×	×	×	×	×	×	✓	✓	×	×

EDUCATION

Classrooms	×	×	×	×	×	×	✓	✓	×	×
Auditoriums	×	×	×	×	×	×	✓	✓	×	×
Corridors	×	×	×	×	×	×	✓	✓	×	×
Libraries	×	×	×	×	×	✓	✓	✓	×	✓
Computer Rooms	×	×	×	×	×	✓	✓	✓	×	✓
Kindergarten/Nursery/Daycare	×	×	×	×	×	✓	✓	✓	×	✓
Multipurpose Room	×	×	×	×	×	✓	✓	✓	×	✓
Laboratories	×	×	×	×	×	×	✓	✓	×	×
Gymnasiums (non-competitive)	×	×	×	×	×	×	×	×	×	×
Stadium Corridors	×	×	×	×	×	×	✓	✓	×	×
Cafeterias	×	×	×	×	×	×	✓	✓	×	×
Elevators	×	×	×	×	×	×	✓	✓	×	×
Restrooms	×	×	×	×	×	×	✓	✓	×	×
Student Housing/Dorms	×	✓	✓	✓	✓	✓	✓	✓	✓	✓

CORPORATE / GOVERNMENT

Offices	×	×	✓	✓	✓	✓	✓	✓	✓	✓
Meeting Rooms	×	×	×	✓	✓	✓	✓	✓	×	✓
Museums	×	×	×	✓	✓	×	✓	✓	×	×
Airports	×	×	×	×	×	×	✓	✓	×	×
Server Rooms	×	×	×	×	×	×	✓	✓	×	×

HOSPITALITY

Lobby	×	×	✓	✓	✓	✓	✓	✓	✓	✓
Dining Room	×	×	×	×	×	×	✓	✓	×	×
Guest Rooms	×	×	✓	✓	✓	✓	✓	✓	✓	✓
Gym/Workout Area	×	×	✓	✓	✓	✓	✓	✓	✓	✓

RETAIL

Shops	×	×	✓	✓	✓	✓	✓	✓	✓	✓
Restaurants	×	×	✓	✓	✓	✓	✓	✓	✓	✓
Pharmacies	×	×	✓	×	×	✓	✓	✓	✓	✓
Banks	×	×	✓	✓	✓	✓	✓	✓	✓	✓
Grocery	×	×	×	×	×	×	✓	✓	×	×
Salons	×	×	✓	✓	✓	✓	✓	✓	✓	✓
Restrooms	×	×	✓	✓	✓	✓	✓	✓	✓	✓

HOUSING

Multi-family	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Single family	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Basement	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bathroom	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Living Room	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mud Room	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Kitchen	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dining Room	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Playroom	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Laundry Room	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Office	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Please refer to installation and warranty instructions for adhesive recommendation and to confirm your application doesn't have special requirements.

If you have a project or application not listed here, give us a call to find out what NovaFloor® product would suit your project best.

Manufacturing plant achieved ISO 14001 Certification and OHSAS 18001 Certification.

Pioneered manufacturing healthy and environmentally responsible flooring with no waste production in China.



NOVALIS[®]
INNOVATIVE FLOORING

200 MuneKata Drive,
Dalton, GA 30721

NovaFloor.us
(888) 509 3438

March 2021